

RELAVIT


AUTODISH T

Machine dishwashing detergent


A machine dishwash detergent that removes soiling and food deposits. RELAVIT AUTODISH T is a clear liquid with a high sequestrant content, which allows it to be used effectively in both soft and hard water areas. Designed for washing cutlery, crockery, stainless steel and utensils.

N.B. Do not use on aluminium, zinc, magnesium and their alloys.

METHOD OF USE



Wear correct PPE when changing dishwashing tubes.




Turn off the dishwasher and remove the existing detergent.



Carefully remove the dishwashing tube out of the RELAVIT Autodish T container.



Place the tube into the new container of RELAVIT Autodish T.



Put the RELAVIT Autodish T back by the dishwashing machine.



Run the dishwasher cycle to ensure the product is pulling through.

DOSAGE

WATER HARDNESS	
SOFT WATER	1 - 4mls per litre of water
HARD WATER	4 - 8mls per litre of water

PRODUCT INFO



Pack Size:	5L, 10L, 20L
Product Code:	314
Odour:	Odourless
Colour:	Yellow
pH (undiluted):	13.5
Shelf life:	2 years



For Health & Safety information, please scan the QR code provided.

THINK SAFE, CLEAN GREEN

Christeyns Professional Hygiene UK Ltd | Clover House | Whaley Bridge
SK23 7DQ | T +44 (0) 1663 733 114 | W www.christeyns-ph.co.uk


CHRISTEYNS
PROFESSIONAL HYGIENE



WARE
WASHING

RELAVIT

AUTODISH T

MACHINE DISHWASHING DETERGENT



- REMOVES STUBBORN SOILAGE AND FOOD DEPOSITS
- ECONOMICAL IN USE
- ANTI CORROSIVE – PROTECTS YOUR MACHINE

PRODUCT DESCRIPTION

RELAVIT Autodish T is a clear liquid with a high sequestrant content, which allows it to be used effectively in both soft and hard water areas. An anti-corrosive agent has been added to the formula to protect the machine.

Designed for washing cutlery, crockery, stainless steel and utensils, RELAVIT Autodish T is suitable for all automatic dish washing machines in cafés, restaurants, hotel kitchens, canteens, etc.

Can be used as an effective detergent for tray washing machines in the food industry.

INSTRUCTIONS FOR USE

Soft water areas

1ml – 4ml per litre of water.

Hard water areas

4ml – 8ml per litre of water.

Put dosing tube into the container of RELAVIT Autodish T, so that it reaches the bottom. The dosing unit, which has been pre-set to a specific concentration, will automatically dispense RELAVIT Autodish T into the machine.

N.B. DO NOT use on aluminium, zinc, magnesium and their alloys.

ADDITIONAL INFORMATION

Product code: 314
pH Level: 13.5

STORAGE

Store between 5 and 40°C



PACKAGING

2 x 5 Litre
10 Litre
20 Litre

NON WARRANTY

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.