

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Date first issue: 30/08/2010 Review date: 06/10/2025 Supersedes version of: 08/08/2024 Version: 9.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : RELAVIT RINSE H

Product code 407 Type of product : Detergent Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec · Industrial

For professional use only

Use of the substance/mixture : Cleaning/washing agents and additives

1.3. Details of the supplier of the safety data sheet

Manufacturer Supplier

Christeyns Professional Hygiene UK Ltd Christeyns NV Afrikalaan 182 Clover House Macclesfield Road 9000 GENT Belgium

SK23 7DQ Whaley Bridge, Derbyshire

United Kingdom T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44 T 01663 733114, F 01663 733115 info@christeyns.be, www.christeyns.com

info.cph.uk@christeyns.com, www.christeyns-ph.co.uk

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P280 - Wear eye protection, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P313 - Get medical advice/attention.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P362 - Take off contaminated clothing.

2.3. Other hazards

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (ÉU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohols, C12-14, ethoxylated propoxylated	CAS-no: 68439-51-0 REACH-no: Exempt from REACH: Polymer	3 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319
sulphamidic acid; sulphamic acid; sulfamic acid	CAS-no: 5329-14-6 EC-No.: 226-218-8 EC Index-No.: 016-026-00-0 REACH-no: 01-2119488633- 28	1 – 3	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Aquatic Chronic 3, H412
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-no: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104-	1 – 3	Eye Irrit. 2, H319
Sodium xylenesulphonate	CAS-no: 1300-72-7 EC-No.: 215-090-9 REACH-no: 01-2119513350- 56	1 – 3	Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

Inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

: Remove affected clothing and wash all exposed skin area with mild soap and water, Skin contact

followed by warm water rinse.

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness Eye contact

Ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects skin : mild skin irritation.

Acute effects eyes : May cause eye irritation. Redness. Acute effects oral route : May cause irritation to the digestive tract.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

· Water Suitable extinguishing media

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

06/10/2025 (Revision date) EN (English) 2/9

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials. Absorb spillage to prevent material

damage

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

Incompatible products : Strong bases.
Incompatible materials : Direct sunlight.

Packaging materials : polyethylene. stainless steel.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	2-(2-Butoxyethoxy)ethanol	
IOEL TWA	67.5 mg/m³	
	10 ppm	
IOEL STEL	101.2 mg/m³	
	15 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Ireland - Occupational Exposure Limits		
Local name	2-(2-Butoxyethoxy)ethanol	
OEL TWA	67.5 mg/m³	
	10 ppm	
OEL STEL	101.2 mg/m³	
	15 ppm	
Remark	IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2024	
United Kingdom - Occupational Exposure Limits		
Local name	2-(2-Butoxyethoxy)ethanol	
WEL TWA (OEL TWA)	67.5 mg/m³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)	
	10 ppm
WEL STEL (OEL STEL)	101.2 mg/m³
	15 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.2. Exposure controls

Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





Eye and face protection

Eye protection:

Chemical goggles or safety glasses

Skin protection

Hand protection:

Wear protective gloves.

Respiratory protection

Respiratory protection:

Not required

Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Blue.

Physical state/form : Liquid.

Odour : Slight.

Odour threshold : Not available

Melting point/range : 0 °C

Freezing point : Not determined as it is not relevant for the characterization of the product

Boiling point/Boiling range : 100 °C

Flammability : Not determined as it is not relevant for the characterization of the product

Non flammable.

Lower explosion limit : Constituents do not contain chemical groups associated with explosivity

Upper explosion limit : Constituents do not contain chemical groups associated with explosivity

Flash point : Not determined as it is not relevant for the characterization of the product

Autoignition temperature : Determination of the auto-ignition temperature is only relevant for pyrophoric liquids,

however the mixture is not a pyrophoric liquid so the test is not required.

Decomposition temperature : Only applies to self-reactive substances and mixtures, organic peroxides, and other

substances and mixtures that may decompose.

pH : 1

 Viscosity, kinematic
 : Thin liquid

 Viscosity, dynamic
 : ≤ 20 cP at 20 °C

 Solubility
 : soluble in water.

 Partition coefficient n-octanol/water (Log Kow)
 : Not available

 Vapour pressure
 : Not available

 Vapour pressure at 50°C
 : Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Density : Not available
Relative density : 1.015 g/cm³
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

sulphamidic acid; sulphamic acid; sulfamic acid (5329-14-6)	
LD50 oral rat	2140 mg/kg bodyweight Animal: rat, Animal sex: female, Remarks on results: other:
LD50 oral	> 2000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal	> 2000 mg/kg bodyweight

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
LD50 oral rat	5660 mg/kg	
LD50 oral	5660 mg/kg bodyweight	
LD50 dermal rabbit	2764 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 2090 - 3645	
LD50 dermal	2764 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	> 196 mg/l	

Sodium xylenesulphonate (1300-72-7)	
LD50 oral	> 7000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight

2200 4011141	
Alcohols, C12-14, ethoxylated propoxylated (68439-51-0)	
LD50 oral rat	> 2000 mg/kg

Skin corrosion/irritation : Causes severe skin burns.

pH: 1

sulphamidic acid; sulphamic acid; sulfamic acid (5329-14-6)

pH 1.

Alcohols, C12-14, ethoxylated propoxylated (68439-51-0)

pH 5 (≥ 7)

Serious eye damage/irritation : Causes serious eye damage.

pH: 1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

sulphamidic acid; sulphamic acid (5329-14-6)		
рН	1.18	
Alcohols, C12-14, ethoxylated propoxylated (68439-51-0)		
рН	5 (≥ 7)	
Respiratory or skin sensitisation	Not classified	

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

sulphamidic acid; sulphamic acid; sulfamic acid (5329-14-6) $500~\rm mg/kg$ bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPP 83-4 (Reproduction and Fertility Effects) NOAEL (animal/female, F1)

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)	
NOAEL (animal/male, F0/P)	> 452 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:
NOAEL (animal/female, F0/P)	> 470 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
STOT-single exposure	: Not classified

Additional information

: Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	< 200 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard	: Not classified

Additional information : Based on available data, the classification criteria are not met

RELAVIT RINSE H		
	Viscosity, kinematic	Thin liquid

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) 6.794 mm²/s Viscosity, kinematic

11.2. Information on other hazards

Other information

Potential adverse human health effects and : Based on available data, the classification criteria are not met

symptoms

SECTION 12: Ecological information 12.1. Toxicity

Hazardous to the aquatic environment, short-term

: Not classified

(acute)

Hazardous to the aquatic environment, long-term

Not classified

(chronic)

sulphamidic acid; sulphamic acid; sulfamic acid (5329-14-6)		
LC50 - Fish [1]	70.3 mg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [1]	71.6 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	71.6 mg/l waterflea	
EC50 - Other aquatic organisms [2]	29.5 mg/l	

06/10/2025 (Revision date) EN (English) 6/9

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

sulphamidic acid; sulphamic acid; sul	Ifamic acid (5329-14-6)
EC50 72h - Algae [1]	48 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	33.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	34 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	19 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 60 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'
2-(2-butoxyethoxy)ethanol; diethylene	glycol monobutyl ether (112-34-5)
LC50 - Fish [1]	1300 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l
EC50 96h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 algae	> 100 mg/l Scenedesmus subspicatus
Sodium xylenesulphonate (1300-72-7)	
EC50 - Other aquatic organisms [1]	> 1020 mg/l waterflea
12.2. Persistence and degradability	ı
RELAVIT RINSE H	
Persistence and degradability	Biodegradable. The surfactant(s) contained in this preparation complies(comply) with the

RELAVIT RINSE H		
Persistence and degradability	Biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
Biodegradation	89 – 93 % 28 days, OECD 301 C	
Sodium xylenesulphonate (1300-72-7)		
Persistence and degradability	Rapidly degradable	

12.3. Bioaccumulative potential		
RELAVIT RINSE H		
Bioaccumulative potential	No bioaccumulation.	
sulphamidic acid; sulphamic acid (5329-14-6)		
Log Pow	0.1	
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
Log Pow	0.56	
Sodium xylenesulphonate (1300-72-7)		
Sodium xylenesulphonate (1300-72-7)		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

RELAVIT RINSE H

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Waste / unused products : Avoid release to the environment.

HP Code : HP8 - "Corrosive:" waste which on application can cause skin corrosion.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
Not regulated for transport		
14.2. UN proper shipping name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated Not regulated Not regulated		Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated Not regulated Not regulated		
No supplementary information available		

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Detergent Regulation (EC 648/2004)

Labelling of contents	
Component	%
non-ionic surfactants	<5%

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H412	Harmful to aquatic life with long lasting effects.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	On basis of test data

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

06/10/2025 (Revision date) EN (English) 9/9